



# Creestaa

Elevators | Italian Precision



# VELOCITA


Green Gearless Technology



# Moving up the Greenway !



To taking people upward our green revolutionary technology in vertical movement, intelligently designed, having a greater mechanical efficiency & higher energy saving gearless machine combines with VVVF drive gives exceptional performance.



Gearless machine reduce consumption of energy & And closed loop gives jerk free riding comfort.

- | No oil required | Lower Motor Speed | Higher Lifting Speed.
- | Less Space Required | Low Noise level | Low weight of Machine
- | Pollution Free Future | Greater energy saving | Maintenance free
- | Proven technology | Efficient operation | Higher safeties | Reliability


SAVE ENERGY SAVE EARTH




Leather



Mirror




Fine Square



Checks



Canvas



Hairline





STAINLESS STEEL OPTIONS



Red



Blue



Gray



Orange



Ivory



Pista




Dark Gray



POWDER COATED COLOUR OPTIONS



Our sophisticated designed car & hall fixtures are available in push & touch panels with multimedia options are available to ensure the right communication & are absolutely reliable






# CAR OPERATING PANELS



# HALL BUTTONS WITH INDICATOR








# CEILING



Powder coated finish & stainless steel hairline/ mirror finish are available along with LED & CFL lights.







Stainless steel finish handrails add aesthetic appearance to the elevator & passenger can comfortably hold rails for support during their journey.



Available in the following shades to match your interiors.




Red



Grey



Black



Blue





## CENTRE OPENING

PERSONS	CAPACITY	CIW	CID	SIW	SID	EW
5	340	1200	800	1700	1450	700
6	408	1100	1000	1600	1500	
		1200	925	1700	1450	
8	544	1200	1200	1800	1750	800
		1300	1100	1800	1650	
		1400	1000	2000	1550	
10	680	1300	1350	1800	1900	800
		1350	1300	1850	1850	
13	884	1500	1450	2000	2000	900
		2000	1100	2500	1750	
16	1088	1800	1400	2300	2050	1000
		2000	1300	2500	2000	
20	1360	2000	1450	2550	2300	1000
		2000	1550	2600	2200	

## TELESCOPIC OPENING

PERSONS	CAPACITY	CIW	CID	SIW	SID	EW
5	340	1200	800	1700	1450	700
6	408	1000	1100	1700	1550	
		950	1200	1650	1650	
8	544	1200	1200	1900	1650	800
		1100	1300	1800	1750	
		1000	1400	1700	1850	
10	680	1300	1350	2000	1800	800
		1350	1300	2050	1750	
13	884	1350	1600	2050	2050	900
		1100	2000	1800	2450	
16	1088	1400	1800	2100	2250	1000
		1300	2000	2000	2450	
20	1360	1450	2000	2150	2450	1000
		1550	2000	2250	2450	



## SPECIFICATIONS

SPEED	0.7 m/sec	1.0 m/sec	1.25 m/sec	1.5 m/sec	1.75 m/sec	2.0 m/sec
OVERHEAD, OHRH (mm)	4200	4200	4500	4500	4700	4800
PIT DEPTH (mm)	1400	1500		1800		2200
MAX. NO. OF STOPS (Nos.)	8	20	25	30	35	40
MAX. TRAVEL (Mtr.)	21	57	72	87	102	117
MACHINE ROOM HEIGHT (mm)	2500					
MACHINE ROOM WIDTH (mm)	SW + 2000					
MACHINE ROOM DEPT (mm)	SD + 2500					



## Standard Feature

### Overload Device

When the overload is detected the car does not start and the door remain open. The elevator operation resumes only upon removal of the overload.

### Infrared Door Curtain

Entrance protection system forms a safety net across the entrance area with Infrared beams, that are able to detect objects in the path of closing doors within the fraction of seconds and system instantaneously reopens the elevator doors to prevent the accidental closing of door.

### VVVF Drive

The variable voltage variable frequency drive ensures the energy saving, Higher riding comfort, Juk free start and stop and no landing variations also it prevent wear and tear of components

### Fireman Switch

To enable fire service person to take over complete control over one or more elevators in case of fire.

### Emergency Car Light

An automatically rechargeable emergency car light will switch on in case of failure of supply.

### Car Fixture

Sophisticated designed car and hall buttons for right communication, with press & speak facility and overload indicator.

## Optional Feature

### Automatic Rescue Device

Automatically takes the lift to the nearest level in case of power interruption.

### Floor Annunciator

Recorded voice announces the floor number on arrival. Accompanied by music.





Investec Bank | London | GB  
FIAT Group Purchasing | Torino | Italy  
Staat Bibliothek | Berlin  
D  
Palazzo di giustizia | San Marino | RSM  
Svenigorod & Romanov C. | Moscow | RUS  
Youth Theatre | Baku | AZ  
Weissfluhjoch - Gipfel | Davos | CH  
Private villa | Almaty | KZ  
Daryaye Nur center | Tehran | IR  
Hotel de Marrakech | Marrakech | MA  
Ministry of Domestic Affairs | Tripoli | LAR  
Gorgan City Hall | Gorgan | IR  
Ensemble Residential | Tunis | TN  
Hotel Petrole | Baku | AZ  
Cimitero monumentale | Amalfi | I  
Bundeshaus West | Bern | CH  
Hotel Le Meridien Beach Plaza | MC  
Neftchilyar Shopping centre | Baku | AZ  
Shell building | London | GB  
Alianz Bank financial advisors | Milano | CH  
Grand Hotel Kempinski | Ginevra | CH  
Gaza Hospital | Gaza | Ps  
Primetower (secondary lift) | Zurigo | CH  
Ghom University | Ghom | IR  
Palacongressi





Manufacturing Plant at Kolhapur



**Creestaa**  
Elevators | Italian Precision

## Corporate Office :

Creestaa Elevators India Pvt. Ltd.  
A3, The Fifth Avenue, 5th Floor, Dhole Patil Road. Pune - 411 001. INDIA

☎ +91 20 65313032 / +91 9209801298

@ info@creestaa.com 🌐 [www.creestaa.com](http://www.creestaa.com)

**LIFTINGITALIA**<sup>®</sup>  
Car & Cargo Lifts

**areaLIFT**<sup>®</sup>  
Home Comfort & Vertical Mobility